



# QOM2 Circuit Breaker Enclosure, 2P, Type 1, Surface Mount, 100-225A, CSA, UL

QOM22225NS

Product availability: Stock - Normally stocked in distribution facility

### Main

Product Type	Enclosure
Range of Product	QO

## **Complementary**

Current Rating	225 A	
Number of Poles	2P	
Enclosure Rating	NEMA 1 indoor	
Breaker Compatibility	Circuit breaker QOM2	
Product Certifications	CSA UL	
Voltage Rating	240 V CA	
Tightening Torque	50 lb.in, AWG 3AWG 2/0 45 lb.in, AWG 6AWG 4 40 lb.in, AWG 8 35 lb.in, AWG 14AWG 10	
Device Mounting	Surface	
Enclosure Material	Steel	
Height	23.9 in (608 mm)	
Width	8.5 in (217 mm)	
Depth	3.9 in (100 mm)	

# Ordering and shipping details

Category	US1DE2A00005
Discount Schedule	DE2A
GTIN	785901328865
Returnability	Yes
Country of origin	MX

## **Packing Units**

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.00 in (15.240 cm)
Package 1 Width	9.40 in (23.876 cm)
Package 1 Length	25.30 in (64.262 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package weight(Lbs)	14.101 lb(US) (6.396 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	36	
Package 2 Height	40.00 in (101.600 cm)	
Package 2 Width	40.00 in (101.600 cm)	
Package 2 Length	48.00 in (121.920 cm)	
Package 2 Weight	503.999 lb(US) (228.610 kg)	

# **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	22	

#### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Under investigation
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Halogen free plastic parts product
PVC free	Yes

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No